

PROPERTIES		
Fibre	Straw-Coir	
Fibre content	50/50%	
Weight / Total	~760 g/m² +/- 10%	
Weight Fibre	~400 g/m ²	
Weight Seed	~30 g/m ²	
Weight Mulchplayer	~100 g/m ²	
Weight Paper	~30 g/m ²	
Weight Fertilizer	~90 g/m ²	
Functional Longevity	max. 12 Monate / months	
Top netting type	Jute / Jute	
Bottom netting type	Jute / Jute	
Mesh width top netting	11 x 12 mm	
Mesh width bottom netting	11 x 12 mm	
Weight top netting	55 g/m ²	
Weight bottom netting	55 g/m ²	
Stitching thread	Jute	
Tensile strength of stitching thread	2.400 lfdm / kg	
Slope recommendation	18° - 26 °	
STANDARDS		
Tensile Strength ISO-10319	2,8 kg-force per 20cm	
D4595 Elongation (%)	34 x 20	
D4491 Flow Velocities, Short Term	4,26 m/s	
Max Permissible Shear Stress	1100 g/m ²	
„n“ value Roughness Coefficient	0,014	
SHIPPING & ORDER INFORMATION		
Part No.	O1B-F_120	O1B-F_240
Width	1,20 m	2,40 m
Length	15 m	15 m
Area per roll	18 m ²	36 m ²
Weight per roll	25 kg	50 kg
Diameter per roll	0,39	0,39 m
Volume per roll	0,18 m ³	0,37 m ³

MULCHLAYER: The Mulchlayer is a combination of COIR-DUST, CHOPPED STRAW, CHOPPED HAY and COIR-WASTE for seed embedding and vegetation enhancement.

The specifications presented herein are to the best of our knowledge true and accurate. GREENFIX cannot guarantee or warranty our products, unless agreed to in writing for specific conditions, for performance since the manner of handling; use and installation are beyond our control.

We cannot warrant our products to perform under unlimited circumstances due variables such as soil conditions, manner of installation and particularly severe weather conditions. Satisfactory results may not meet your expectations. No one can guarantee that required moisture will occur to permit growth after seed germination. We will not be liable for damages or losses, direct or indirect, of our GREENFIX Range of Products due to the above reasons.

Latest-Update: May 8, 2017

Name: Kai Tietjen **File Name:** COV 1B FRESH

Copyright of these GREENFIX Document is reserved by SOILTEC GmbH. Copying or transmission of these document in whole or in part or any information contained therein is strictly prohibited without the prior authorization of SOILTEC GmbH, Germany.